



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/931,237	08/17/2001	Chun-Wei Hsieh	HSIE3018/EM/7133	2864

23364 7590 08/27/2004

BACON & THOMAS, PLLC
625 SLATERS LANE
FOURTH FLOOR
ALEXANDRIA, VA 22314

EXAMINER

SIANGCHIN, KEVIN

ART UNIT	PAPER NUMBER
----------	--------------

2623

DATE MAILED: 08/27/2004

3

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/931,237

Applicant(s)

HSIEH ET AL.

Examiner

Kevin Siangchin

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 August 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

Detailed Action

Drawings

Objections

1. The drawings are objected to because of the following.
 - a. Referring to Fig. 2, the caption "CHECK WHETHER THERE EXISTS SOME OVERLAPPING AREA BETWEEN THE EXAMINED OLD FACE AND ONE OF THE SKIN REGIONS" is inconsistent with the Applicant's claimed invention, where a *predetermined percentage of overlapping area* is determined to exist. It should be clear that some overlapping area and a *predetermined percentage of overlapping area* is not the same.
 - b. Referring to Fig. 2, the caption "SEARCH THE CORRESPONDING ... TECHNIQUE" should be changed to ""SEARCH THE CORRESPONDING ... TECHNIQUE".
 - c. Referring to Fig. 2, the caption "TURE FACE" should be changed to "TRUE FACE"

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

Objections: Title of the Invention.

2. The current title of the Applicant's invention, "System and Method for Rapidly *Tacking* Multiple Faces" (emphasis on placed on the word Tacking), should be replaced with the intended title, "System and Method for Rapidly *Tracking* Multiple Faces".

Appropriate correction is required.

Objections

3. The disclosure is objected to because of the following informalities. The term "protrusion shape" (e.g. Applicant's specification page 7, line 19) is misleading.

Protrusion means: the state of being protruded or projected outward, or something that is protruded or projected outward. The Applicant's usage of this word is not consistent with this definition ("contour of a face-like region ... having a height larger than its width ([intuitively] similar to the symbol " Π ") ... [, t]hat is, the face-like region has two sharp down-edges in its right and left sides" – Applicant's disclosure page 7, lines 19-21).

There seems to be nothing in the Applicant's definition of "protrusion shape" that would necessarily protrude. It is requested that this terminology be changed throughout the disclosure (including the claims) to better reflect its definition. Appropriate correction is required.

Claims

Objections

4. Claims 1, 10, 14, 16, and 17 are objected to because of the following informalities. These claims contain the word "tacking" where "tracking" was intended. Appropriate correction is required.
5. Claim 16 is objected to because of the following informalities. The words "different person" should be replaced with "different people". Appropriate correction is required.
6. Claims 9, 14 and 23 are objected to because of the following informalities. The word "existed" (e.g. Claim 9, line 4) should be replaced with "existing". Appropriate correction is required.
7. Claim 13 is objected to because of the following informalities. The word "fault" should be changed to "false". Appropriate correction is required.

Rejections Under 35 U.S.C. § 112(2)

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
9. Claims 1, 5-8, 10-11, 13, 17 and 21-22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 2623

10. *The following is in regard to Claim 1 and 15.* Referring to lines 21-23 of Claim 1, it is unclear whether the phrase "it is determined that the old face is still in the current frame and its position is in the center of the skin region" represents a functional/intended-use limitation or a limitation that sets forth substantive steps used in the Applicant's tracking system. In particular, one can conclude from the language of claim 1 that: "if yes" (i.e. if there exists more than a predefined percentage of overlapping area between the old face and a skin region), then "the old face is still in the current frame and its position is in the center of the skin region". Given this interpretation, the phrase denotes an observed or expected state of the "old face" when the condition "if yes" is true. The phrase, when interpreted in this manner, does not, in and of itself, lend structure to the claimed tracking system. Alternatively, the phrase may be interpreted such that: "if yes", then "the old face is still in the current frame" and its position is set to the center of the skin region. Notice that the latter interpretation results in a structural difference to the claimed tracking system (namely, a means to set the position of the old face to the skin region center)¹. This interpretation is consistent with the Applicant's specification and will be adopted in the subsequent portions of this document. Claim 17 suffers from the same ambiguity.

11. *The following is in regard to Claim 5.* It is unclear is meant by "variation of the face recorder". This will be taken to mean: variations in the tracked (old) face.

12. *The following is in regard to Claim 6 and 10.* Referring to lines 3-4 of Claim 6, it is unclear whether the phrase "so as to separate connected face regions" represents a functional/intended-use limitation or a limitation that sets forth substantive steps used in

¹ Also notice that, given either interpretation, the phrase "the old face is still in the current frame" merely indicates the observed state of the old face and, in that regard, does not represent a structural limitation of the claimed tracking system.

Art Unit: 2623

the Applicant's tracking system. A similar issue exists in Claims 1 and 15 and was addressed above. Since this phrase does not seem to introduce any structure into the claimed tracking system, it will be treated as a functional limitation.

13. *The following is in regard to Claims 7 and 21.* The functions $e()$, $p()$, and $d()$ are undefined. The variables, i , j and w are also undefined. Without defining these functions and variables, the condition set forth in claims 7 and 21 is rendered unclear. Its meaning is not apparent from mathematical expression alone. In order to impart meaning to this condition, it is advised that the Applicant provide descriptions of these functions and variables consistent with the specification.

14. *The following is in regard to Claim 1, 8, 13, 17, and 22.* It is not clear what is meant by "true new faces". Specifically, it is not clear how or why certain new faces are characterized as being *true*. True new faces will interpreted, henceforth, as meaning: detected faces or candidate face regions that do not match or correspond to any of the tracked (old) faces (i.e. they are newly occurring faces), yet satisfy the geometric, color, and motion-based criteria for being a face.

15. Claim 10 recites the limitation "based on *the faces*". There is insufficient antecedent basis for this limitation in the claim and it cannot be ascertained as to what faces the Applicant is referring to. These faces will be taken to mean tracked (old) faces.

Rejections Under 35 U.S.C. § 103(a)

16. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

17. Claims 1-2 and 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al. ("*Hydra: Multiple People Detection and Tracking Using Silhouettes*", CVPR 1999), in view of Yang et al. ("*Tracking Human Faces in Real-Time*", Carnegie Mellon University Technical Report, CMU-CS-95-210, 1995).

18. *The following is in regard to Claims 1 and 17.* Haritaoglu et al. disclose a real-time system for detecting and tracking multiple people (in particular their heads – Haritaoglu et al. Section 3.1) in sequences of images (Haritaoglu et al. Abstract). The system includes the following:

(1.a.) Generation of face-like regions (e.g. head regions – Haritaoglu et al. Fig.

5) by:

(1.a.2) Analyzing motion (Haritaoglu et al. page 6, left column, last paragraph, sentences 1-3) to determine possible face-like regions (e.g. by estimating or predicting head locations – Haritaoglu et al. page 6, right column, lines 10-30) from foreground regions or blobs² (Haritaoglu et al. Abstract, sentence 3 and page 2, left column, lines 3-6) based on moving information of the input image.

(1.b.) Recording tracked faces (e.g. in a "list of heads to be tracked" – Haritaoglu et al. page 7, left column, last sentence). Also, note that this

² The foreground regions considered here are the portions of Haritaoglu et al.'s foreground regions that correspond to a head or face. Though Haritaoglu et al. do not distinguish these as being skin-colored regions, it should be readily understood that, when performing color segmentation such as Yang et al. (see below), these portions of the foreground would be classified as skin-colored regions. This does not diminish the validity or relevance of Haritaoglu et al.'s teachings or the discussion, herein, with regard to items (1.a)-(1.e).

feature would be inherent to any object tracking method or system, since tracking objects requires a priori knowledge of the objects' previous position or state.

- (1.c.) Checking the foreground regions and the faces previously tracked and recorded (i.e. heads of the aforementioned "list of heads to be tracked") to determine whether the face-like regions are old faces which have been tracked in a previous frame (i.e. existing heads) or are possible new faces. See Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4.
- (1.d.) Determining whether the possible new faces are true new faces (Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4 and 7-8).
- (1.e.) Tracking multiple faces (Haritaoglu et al. Figs. 2 and 4, and page 6, left column sentences 1-3) based on the new and old faces (Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4 and 7-8). Clearly, this tracking is also based on the foreground regions. See, for example, Haritaoglu et al. Figs. 2 and 4, noting that the silhouettes depicted therein represent the foreground regions. See also Haritaoglu et al. page 2, left column, lines 3-6. This tracking involves:
 - (1.e.1) When a tracked face is a new face, the new face is recorded (Haritaoglu et al. page 7, left column, last paragraph, sentence 3).
 - (1.e.2) When a tracked face is an old face, it is determined whether there exists more than a predefined percentage of overlapping

area (i.e. the bounding boxes of the old, tracked face sufficiently overlap those of the detected foreground region) between the old face and a skin region (i.e. the bounding box of the old, tracked face sufficiently overlaps those of the detected foreground region – Haritaoglu et al. page 7, left column, last paragraph, sentence 3 – as determined by the so-called occupancy test – Haritaoglu et al. page 6, left column sentences 1-2).

1. If there exists more than a predefined percentage of overlapping area between the old face and a skin region, the foreground region corresponds to tracked head (Haritaoglu et al. pages 6-7, section 4, paragraph 2).
Clearly, the old face is still in the current frame.
Furthermore, the position of the tracked head is set to the median (i.e. center) of the skin region (Haritaoglu et al. page 6, right column, lines 10-12).
2. Otherwise, the position of the old face is determined by correlation operation (Haritaoglu et al. page 7, right column, lines 1-3). If the bounding boxes do not sufficiently overlap and, consequently, there is no match between any tracked head with the detected, the location of the old, tracked head is updated via the motion model. According to Haritaoglu et al. (Haritaoglu et al. page 6, lines 22-30), updating the motion model involves a correlation

operation.

19. Haritaoglu et al. suggest performing the detection of colors and/or textures corresponding to skin (face) and generating or, more specifically, segmenting the foreground objects into skin regions corresponding to the heads of detected individuals (Haritaoglu et al. page 3, left column, *Appearance Information*). However, the face tracking system of Haritaoglu et al. does not make use of such information.

20. Yang et al. disclose a real-time system for tracking human faces. This system involves:

- (1.a.1) Generating a plurality of skin regions by detecting skin color pixels of an input image (Yang et al. section 4.1, paragraph 1 and Fig. 10, all on page 16).

21. The teachings of Yang et al. and Haritaoglu et al. are combinable because they are analogous art. Specifically, both Yang et al. and Haritaoglu et al. disclose systems and methods for detecting and tracking human faces. Therefore, given the teachings of Yang et al., it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to further specify the individuals, or the heads of the individuals, tracked in the system of Haritaoglu et al., by generating a plurality of skin regions by detecting skin color pixels of an input image. The motivation to do so would have been to accommodate color sequences (as opposed to simply grayscale, as in Haritaoglu et al.'s system). Moreover, by exploiting the relatively distinct color attributes of human skin (Yang et al. Section 3.1), one could more accurately localize individuals and individuals' heads, thereby, facilitating detection and tracking. Similar arguments can be made for Claim 17.

22. *The following is in regard to Claim 2 and 18.* As shown above, the teachings of Yang et al. and Haritaoglu et al. can be combined so as to yield a face tracking system

Art Unit: 2623

that adequately satisfies the limitations of claim 1. According to the tracking methodology proposed by Haritaoglu et al., detected head regions (e.g. skin regions obtained according to Yang et al.'s face location scheme) that sufficiently overlap with tracked heads (i.e. there exists more than a predefined percentage of overlapping area between an old face and a skin region) are determined to correspond to (i.e. are labeled as) a tracked (old) face (Haritaoglu et al. page 5, Section 4, 1st bullet, page 6 left column, lines 1-8. and page 7, left column paragraph 1, sentences 3-4). Similar arguments can be made for Claim 18.

23. Claims 3-5 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., in view of Yang et al., in further view of Lee et al. (U.S. Patent 6,542,625).

24. *The following is in regard to Claim 3 and 19.* As shown above, the teachings of Yang et al. and Haritaoglu et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 1. However, neither Haritaoglu et al. nor Yang et al. expressly show or suggest that:

- (3.a.) The luminance difference between two successive images is used as a moving information.
- (3.b.) A pixel is defined as a moving pixel if its luminance difference between two adjacent images is larger than a threshold.
- (3.c.) If there are more than a predefined percentage of pixels classified as moving pixels in a skin region, the region is labeled as a possible face-like region.

25. Lee et al., on the other hand, disclose a disclose a method (Lee et al. Abstract and Field of Invention) for detecting a specified object (e.g. a face – Lee et al. column 2, lines 14-16) in a sequence of images, wherein:

- (3.a.) The luminance difference between two successive images is used as a moving information (Lee et al. column 4, lines 43-47)
- (3.b.) A pixel is defined as a moving pixel if its luminance difference between two adjacent images is larger than a threshold (Lee et al. column 4, lines 47-55).
- (3.c.) If there are more than a predefined percentage of pixels classified as moving pixels in a skin region³, the region is labeled as a possible face-like region (Lee et al. column 5, lines 4-46). This labeling is accomplish as follows.
 - 1. Connected regions, designated with a binary value of 1, are formed to indicate moving pixels in a skin region (Lee et al. column 5, lines 23-29 and 31-34).
 - 2. Minimum bounding boxes (MBR – Lee et al. column 5, lines 35-37) of these connected regions are determined.
 - 3. If the regions enclosed in an MBR has a density of 1 pixels greater than a predetermined threshold (Lee et al. column 5, lines 37-40), they are classified as possible face-like regions (i.e. *object candidate regions* – Lee et al. column 5, lines 37-38). This density essentially indicates the

³ These pixels include, for example, those that are skin colored [Lee et al. Fig. 3A, step 305] and undergo movement [Lee et al. Fig. 3A, step 306]. Such pixels are detected by applying an AND operation in the manner discussed in Lee et al. column 5, lines 4-21. Thus, moving pixels in color regions consist of those pixels presumably having a binary value of 1 after the performing the AND operation. This can be inferred from the subsequent description of steps 307-308 of Lee et al. Fig. 1, discussed in Lee et al. column 5, lines 25-34.

percentage of moving pixels in a skin region.

26. The teachings of Lee et al. are combinable with those of Haritaoglu et al. and Yang et al. because they are analogous art. Specifically, these teachings are all directed toward detecting and tracking faces in a series of images. Therefore, given the teachings of Lee et al., it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to integrate steps (3.a)-(3.c) above into the facial tracking system obtained by combining the teachings of Haritaoglu et al. and Yang et al., in the manner discussed above. The motivation to do so would have been to effectively detect objects that move sufficiently in adjacent frames and to remove from consideration regions that do not correspond to the expected characteristics of the human face. This would, in turn, reduce the computational load of a system thus obtained, by limiting the searched domain of the image to regions where a face is likely to be. Similar arguments can be made for Claim 19.

27. *The following is in regard to Claim 4.* As shown above, the teachings of Yang et al., Haritaoglu et al. and Lee et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 3. The skin-color model used by Yang et al. accommodates a variety of different skin colors (e.g. Yang et al. page 11, lines 1-8 and Fig. 6). Furthermore, Yang et al. demonstrate the usage of an adaptive skin color model representing skin features of different people to generate a plurality of connected skin regions (Yang et al. Section 3.2: *Skin-Color Adaptation*). Given these teachings, it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention to use an adaptive color model to generate skin regions. The advantage of using an adaptive skin color model, such as Yang et al.'s, in a facial tracking system would have been to make such a system more robust by allowing a more generalized detection of people, including people of different races (Yang et al.

page 11, lines 6-7). Moreover, adaptive color models are more resilient to variable lighting conditions and viewing parameters (Yang et al. Section 3.2, paragraph 1).

28. *The following is in regard to Claim 5⁴.* As shown above, the teachings of Yang et al., Haritaoglu et al. and Lee et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 4. According to Yang et al. (Yang et al. Section 3.2: *Skin-Color Adaptation*), the adaptive color model is responsive to variations in the tracked face, and its parameters (e.g. weights α , β , and γ in (EQ 8)-(EQ 10) of Yang et al.) are updated accordingly. Indeed, this represents the whole notion of an adaptive color model – that is, model parameters are adapted dynamically in response to *a priori* image information. For example, the weights α , β , and γ in (EQ 8)-(EQ 10) of Yang et al. encapsulate prior facial-region information that is used to influence current parameters (Yang et al. page 14, last paragraph, sentence 1).

29. Claims 6 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., in view of Yang et al. and Lee et al., in further view of Kinjo (U.S. Patent 6,529,630).

30. *The following is in regard to Claim 6 and 20⁵.* As shown above, the teachings of Yang et al., Haritaoglu et al. and Lee et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 5. Though the face tracking systems of Yang et al. and Haritaoglu et al. both involve the generation and

⁴ Recall the manner in which the phrase “variation of the face recorder” is being interpreted. See the discussion above regarding the U.S.C. § 112(2) rejections of the corresponding claims.

⁵ Recall the manner in which these claims are being treated in this document. See the discussion above regarding the U.S.C. § 112(2) rejections of the corresponding claims.

subsequent analysis of "silhouettes" of a tracked faces (e.g. Yang et al. Fig. 10(b) or Haritaoglu et al. Figs. 4-5), neither Haritaoglu et al., Yang et al., nor Lee et al. expressly show or suggest an analysis of a silhouette that involves determining whether there exists a "protrusion shape" in the image so as to separate connected face regions.

31. Kinjo discloses a method and device for extracting *principal subjects* (especially human faces – Kinjo Fig. 4) from input digital images (Kinjo Abstract). The extraction of human faces involves analyzing (in the *face contour/circular shape extracting section* 80 shown in Kinjo Fig. 4) the geometric properties of potential face contours (i.e. "silhouettes"), obtained by binarizing and differentially filtering an input image⁶ (Kinjo column 10, lines 66-67 to column 11, lines 1-3). Then, it is determined whether there exists silhouettes having a shape that, *inter alia*, includes lines (i.e. *specified lines* – Kinjo column 11, line 9), corresponding to the sides of a face, having a length and distance of separation, consistent with a typical human face (Kinjo column 11, lines 4-18). It is further determined whether the shape includes lines perpendicular to the specified lines that correspond to the top and bottom of a face (Kinjo column 11, lines 19-30). Such a shape can be reasonably considered a "protrusion shape". This interpretation is consistent with the Applicant's definition of a "protrusion shape" stated on page 7 of the Applicant's specification, because it represents a "contour of a face-like region ... having a height larger than its width ([intuitively] similar to the symbol "Π") ... [t]hat is, the face-like region has two sharp down-edges in its right and left sides". Skin-color regions (Kinjo column 10. lines 36-44) determined to have such a shape are designated as face candidate regions (Kinjo column 11, lines 36-42).

⁶ It is well known that differentially filtering an image (e.g. by a Sobel operator) generally produces a filtered image where edges between regions of sufficient contrast are enhanced, while regions separated by these edges are suppressed. In the case of face, these edges effectively delineate the face, thereby, producing what resembles a facial silhouette or outline.

32. The teachings of Kinjo are combinable with those of Haritaoglu et al., Yang et al., and Lee et al. because they are analogous art. Specifically, Haritaoglu et al., Yang et al., Lee et al., and Kinjo all disclose systems and methods that detect regions of an image corresponding to a human face that satisfy certain geometric constraints. Therefore, it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to detect potential face regions during face tracking by further imposing constraints on the geometry of the these regions, as Kinjo does. The motivation to do so would be to further limit the number of candidate regions that will be tracked, or otherwise undergo further processing, by eliminating regions that do not adhere to the typical geometry of a human face. This, in turn, mitigates the computational load on the system and, moreover, makes the tracking system more robust by reducing the potential for the erroneous tracking of skin-color regions that may not correspond to a human face. Similar arguments can be made for Claim 20

33. Claims 8 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., in view of Yang et al., Lee et al., and Kinjo, in further view Turk et al. ("Eigenfaces for Recognition").

34. *The following is in regard to Claim 8 and 22⁷.* As shown above, the teachings of Yang et al., Haritaoglu et al., Lee et al. and Kinjo can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 6. As discussed extensively above, Yang et al., Haritaoglu et al., Lee et al. and Kinjo each remove from consideration (i.e. "filter out") those candidate face regions (i.e. possible new faces) that

⁷ Recall the manner in which these claims are being treated in this document. See the discussion above regarding the U.S.C. § 112(2) rejections of the corresponding claims.

represent detection failures or otherwise fail to adequately satisfy the various geometric, color (these “filtered” regions can be considered “false faces”), and/or motion-based criteria set forth in their respective disclosures (e.g. Yang et al. Section 4.4 paragraph 1, Haritaoglu et al. page 7, left column, last two sentences, Lee et al. column 4, lines 43-60, Kinjo column 11, lines 37-42). Though Yang et al. indicate that eigenface analysis can be used for facial recognition (Yang et al. page 2, sentence 3), neither Yang et al., Haritaoglu et al., Lee et al. nor Kinjo expressly show or suggest that the other possible new faces are verified as true new faces by eigen-face analysis.

35. Eigenfaces is a well-known method for recognizing a face by comparing it to faces of known individuals. The concept of eigenfaces was first introduced by Turk et al. in the reference cited above. Turk et al. propose a real-time system that locates and tracks a subject’s face. The eigenfaces are used to recognize the tracked face as one a set of known faces. (Turk et al. Abstract and Fig. 5). Specifically, Turk et al. detect and track regions (i.e. *blobs* or *subimages* – Turk et al. page 77, left column, paragraphs 2-3) of the input sequence of images that likely correspond to a face. By projecting each of these newly detected regions into a *face-space* (*Summary of Eigenface Recognition Procedure* steps 5-6 on Turk et al. page 76 and paragraph 3 of the section entitled *Using Eigenfaces to Classify a Face Image* on page 75) spanned by the set of *eigenfaces* (paragraph 2 of the section entitled *Calculating Eigenfaces* on Turk et al. pages 73-74), these regions are recognized as either *known* (e.g. previously tracked) faces (steps 5-6 of the section entitled *Summary of Eigenface Recognition Procedure* on page 76 of Turk et al.) – or “true new faces”⁷ (i.e. *unknown faces* – *Learning to Recognize New Faces* on page 79 of Turk et al. and step 5 of the section entitled *Summary of Eigenface Recognition Procedure* on page 76).

36. The teachings of Turk et al. are combinable with those of Yang et al., Haritaoglu et al., Lee et al. and Kinjo because they are analogous art. In particular, the teachings of Yang et al., Haritaoglu et al., Lee et al., Kinjo, and Turk et al. are all directed toward face detection and/or tracking. Therefore, given the teachings of Turk et al., it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to determine whether faces are truly new (unknown) faces or known faces, presumably those that have been previously tracked. The motivation for verifying whether candidate face regions correspond to truly new faces or to previously tracked faces would have been to allow the tracking of faces of individuals who have just entered a scene, while continuing to track the faces of tracked individuals. The former is suggested by Turk et al. (Turk et al. page 79, *Learning to Recognize New Faces*). The motivation to use eigenfaces to accomplish this would have been to exploit its well-accepted simplicity and efficiency, as well as its ability to learn and later recognize new faces in an unsupervised manner (Turk et al. Abstract, last sentence). Similar arguments can be made for Claim 22.

37. Claims 9 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., Yang et al., Lee et al., Kinjo, and Turk et al., as applied to claims 8 and 22 above, in further view of Abdel-Mottaleb et al. (U.S. Patent 6,263,113).

38. *The following is in regard to Claim 9 and 23.* As shown above, the teachings of Yang et al., Haritaoglu et al., Lee et al., Kinjo, and Turk et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 8. Furthermore, Kinjo and Lee et al. suggests that candidate face regions should be

removed from consideration (i.e. "filtered out" and/or designated as "false faces") if the following attributes fail to satisfy certain, predetermined criteria:

- (9.a.) Compactness of a tracked region (i.e. the *density of the grids* – Lee et al. column 5, lines 37-40).
- (9.b.) Ratio between the height and width of a face (i.e. the aspect ratio – Kinjo column 11, lines 32-35)
- (9.c.) Number of holes existing in a region (Kinjo column 14, lines 18-24). The position and geometry of the eyes are used as internal structural characteristics when designating a region as a candidate face region (Kinjo column 14, lines 24-25). Specifically, a region is designated as a candidate face region if the (*two*) eyes appear in the expected positions within a face (Kinjo column 14, lines 20-24). The regions corresponding to the eyes appear, in the binarized image, (Kinjo column 13 lines 66-67 to column 14, line 1) as black regions with respect to white regions corresponding to skin, etc. In this manner, the eyes can be interpreted as representing "holes" in the skin region. Adopting this language, one can infer from Kinjo's teachings that if less than two *holes* (eyes) appear in a region it will not be designated as a candidate face region, that is, it represents a "false face".
- (9.d.) Convexity of a face (Kinjo, column 11, lines 4-7).

Though Kinjo suggest that an operator execute the steps discussed in (9.c), this process is clearly amenable to automation. Therefore, it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to automate this process in order to provide real-time, unsupervised face detection. Despite this, neither Yang et al., Haritaoglu et al., Lee et al., Kinjo, nor Turk et al. show or suggest using the (9.e.) statistical variance of a potential face to "filter out false faces".

39. Abdel-Mottaleb et al. disclose a method for detecting a face in an image, wherein the statistical variance of a potential face (e.g. a skin colored region – Abdel-Mottaleb et al. column 3, lines 31-38) to “filter out” (i.e. remove from consideration) “false faces” (Abdel-Mottaleb et al. column 4, lines 14-17).

40. The teachings of Abdel-Mottaleb et al. are combinable with those of Yang et al., Haritaoglu et al., Lee et al., Kinjo, and Turk because they are analogous art. In particular, Yang et al., Haritaoglu et al., Lee et al., Kinjo, Turk and Abdel-Mottaleb all disclose systems involving the detection of a face within an image. Therefore, it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to use the statistical variance to “filter out” candidate faces that should not be further considered (i.e. “false faces”). The motivation to do so would have been to eliminate extraneous regions from tracking or other further processing. Since human faces typically have a relatively uniform color, regions having highly varying color should typically not be considered. Similar arguments can be made for Claim 23.

41. Claims 10-12 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., in view of Yang et al., in further view Kinjo.

42. *The following is in regard to Claim 10.* As discussed above with regard to Claim 1, Haritaoglu et al. and Yang et al., when combined in the manner suggested above, yields a system for tracking multiple faces comprising:

(10.a.) Generation of face-like regions (e.g. head regions – Haritaoglu et al. Fig. 5) by:

(10.a.1) Generating a plurality of skin regions by detecting skin color

pixels of an input image (Yang et al. section 4.1, paragraph 1 and Fig. 10, all on page 16).

(10.a.2) Analyzing motion (Haritaoglu et al. page 6, left column, last paragraph, sentences 1-3) to determine possible face-like regions (e.g. by estimating or predicting head locations – Haritaoglu et al. page 6, right column, lines 10-30) from skin-colored regions (Haritaoglu et al. Abstract, sentence 3 and page 2, left column, lines 3-6) based on moving information of the input image.

(10.b.) Determining whether the possible faces are new faces (Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4 and 7-8).

(10.c.) Tracking multiple faces (Haritaoglu et al. Figs. 2 and 4, and page 6, left column sentences 1-3) based on the faces (Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4 and 7-8) and skin-colored regions (Yang et al. Section 4.1).

43. It was also shown above that Kinjo teaches:

(10.a.3) analyzing a silhouette to determine whether there exists a protrusion shape in the image so as to separate connected regions.

The details will be omitted here. The reader is directed to the discussion above regarding claim 6. Following a similar line of reasoning, as presented there, it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to detect potential face regions during face tracking by further imposing constraints on the geometry of the these regions, as Kinjo does. The motivation to do so would be to further limit the number of candidate regions that will be tracked, or otherwise undergo further processing, by eliminating regions that do not adhere to the

typical geometry of a human face. This, in turn, mitigates the computational load on the system and, moreover, makes the tracking system more robust by reducing the potential for the erroneous tracking of skin-color regions that may not correspond to a human face.

44. *The following is in regard to Claim 11.* As shown above, the teachings of Yang et al., Haritaoglu et al., and Kinjo, can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 10. Furthermore, as shown above with respect to claim 1, Haritaoglu et al. teaches:

- (11.a.) Recording faces that have been tracked (e.g. in a “list of heads to be tracked” – Haritaoglu et al. page 7, left column, last sentence).
- (11.b.) Checking the face-like regions and the faces previously tracked and recorded (i.e. heads of the aforementioned “list of heads to be tracked”) to determine whether the face-like regions are old faces which have been tracked in a previous frame (i.e. existing heads) or are possible new faces. See Haritaoglu et al. page 7, right column, last paragraph, sentences 3-4.

The system of Haritaoglu et al. tracks face-like regions that correspond to previously tracked faces in the normal fashion. Face-like regions not corresponding to a previously tracked face (i.e. possibly newly detected faces) are treated differently. These regions must be verified to determine whether they are truly new faces or detection errors. See Haritaoglu et al. page 7, left column, last paragraph.

45. *The following is in regard to Claim 12.* As shown above, the teachings of Yang et al., Haritaoglu et al., and Kinjo, can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 11. Furthermore, as shown above with

respect to claim 1, Haritaoglu et al. teaches that if it is determined that there exists more than a predefined percentage of overlapping area between a face-like region and a tracked face, the face-like region is labeled as a tracked old face. See the discussion above with regard to item (1.e.2) of claim 1.

46. *The following is in regard to Claim 16.* As shown above, the teachings of Yang et al., Haritaoglu et al., and Kinjo, can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 11. Furthermore, as shown above with respect to claim 4, Yang et al. teaches generating a plurality of connected skin regions based on an adaptive skin color model representing skin features of different people (e.g. different races). The details will be omitted here. Refer to the discussion above relating to claim 4.

47. Claims 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., Yang et al. and Kinjo, as applied to claim 11, in further view of Turk et al.

48. *The following is in regard to Claim 13.* As shown above, the teachings of Yang et al., Haritaoglu et al., and Kinjo, can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 11. As shown above, with respect to claim 8, given the teachings of Turk et al., it would have been obvious to one of ordinary skill in the art, at the time of the applicant's claimed invention, to additionally filter out "fault" faces from possible new faces, and the other possible new faces are verified to determine whether they are truly new faces by eigen-face analysis. The details will be omitted here. Please refer to the discussion above relating to claim 8.

Art Unit: 2623

49. *The following is in regard to Claim 15.* As shown above, the teachings of Yang et al., Haritaoglu et al., Kinjo, and Turk et al. can be combined so as to yield a face tracking system that adequately satisfies the limitations of claim 13. The limitations of claim 15 were sufficiently addressed above with respect to claim 1. See the discussion above relating to items (1.e.1) and (1.e.2).

50. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Haritaoglu et al., Yang et al., Kinjo, and Turk, as applied to claim 11, in further view of Lee et al. and Abdel-Mottaleb et al.

51. *The following is in regard to Claim 14.* As shown above with regard to claim 9, the teachings of Yang et al., Haritaoglu et al., Kinjo, and Turk et al., Lee et al. and Abdel-Mottaleb can be combined so as to yield a face tracking system, wherein face regions (i.e. "false" faces) are removed from consideration (i.e. "filtered out) if they fail to properly exhibit the following characteristics:

- (14.a.) Ratio between the height and width of a face (i.e. the aspect ratio – Kinjo column 11, lines 32-35)
- (14.b.) Number of holes existing in a region (Kinjo column 14, lines 18-24).
- (14.c.) Convexity of a face (Kinjo, column 11, lines 4-7).
- (14.d.) Compactness of a tracked region (i.e. the *density of the grids* – Lee et al. column 5, lines 37-40).
- (14.e) Statistical Variance of the face (Abdel-Mottaleb et al. column 4, lines 14-17).

The details will not be repeated here. Please refer to the discussion above relating to Claim 9.

Allowable Subject Matter

Objections, Allowable Subject Matter

52. Claims 7 and 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

53. The following is a statement of reasons for the indication of allowable subject matter.

54. *The following is in regard to Claims 7 and 21.* The criteria set forth in claims 7 and 21 impose geometric constraints on detected face-like regions. Specifically, these criteria ensure that face-like regions have, using the Applicant's words, "two sharp down-edges in its right and left sides" (the first two equations of claims 7 and 21 are related to the slopes of these edges) and exhibit an appropriate aspect ratio. The criteria are generally related to the Applicant's detection of a so-called "protrusion shape". A multitude of prior art techniques were encountered that observe the aspect ratios of face regions to ensure their consistency with that of the human face. Furthermore, as discussed above, Kinjo disclose a face extraction method, wherein regions are determined to be *face-like* when they possess a shape similar to a protrusion shape. Eleftheriadis et al. (U.S. Patent 5,852,669), cited below, also make such a determination and, more particularly, investigate the "down-edges" of potential face regions (Eleftheriadis et al. Fig. 4). Despite this, no prior art face or head-tracking

method/systems were encountered that demonstrated, or even suggested, determining the existence of a face-like region based on the *specific* criteria set forth in claims 7 and 21.

Citation of Relevant Prior Art

55. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

[1]-[13] generally relate to systems and methods that track at least one human face through a series of images. Most have clear similarities to the Applicant's claimed invention.

- [1] *U.S. Patent 6,301,370*. Steffens et al. . Publication Date. October 2001.
Steffens et al.'s tracking method is particularly relevant to the Applicant's disclosure. In particular, Steffens et al., among other things, distinguishes between tracked and newly occurring faces, segments regions according to skin-color, analyzes silhouettes, uses motion to distinguish tracked regions, measures convexity of the detected faces and suggests the usage of eigenfaces to recognize faces as those that have been previously tracked.
- [2] *U.S. Patent 6,754,389*. Dimitrova et al. . Publication Date. June 2004.
- [3] *U.S. Patent 6,665,446*. Kato et al. . Publication Date. December 2003.
Kato et al. track multiple faces.
- [4] *U.S. Patent 5,912,980*. Hunke et al. Publication Date. June 1999.
Hunke et al. track multiple faces. The method involves creating a difference

image.

- [5] *U.S. Patent 6,639,998*. Lee et al. . Publication Date. October 2003.
- [6] *U.S. Patent Application Publication 2002/0000025*. Darrell et al. . Publication Date. March 2001.

Darrell et al. track faces by detecting a combination of motion, shape, and color in an image.
- [7] *W⁴S: A Real-Time System for Detecting and Tracking People in 2-1/2 D*. ECCV 1998. Haritaoglu et al.
- [8] *Tracking Groups of People*. Computer Vision and Image Understanding. 80:42-56, 2000. McKenna et al.

McKenna et al. disclose a tracking system, similar to that of Haritaoglu et al. McKenna et al. use an adaptive color model consisting of a Gaussian mixture. These types of models would inherently involve the statistical variance of the face (color).
- [9] *Integrated Person Tracking Using Stereo, Color and Pattern Detection*. IEEE 1998. Darrell et al.
- [10] *Pfinder: Real-Time Tracking of the Human Body*. IEEE 1997. Wren et al.
- [11] *Tracking of Multiple Faces for Human-Computer Interfaces and Virtual Environments*. IEEE International Conference on Multimedia and Expo (III) 2000. Huang et al.
- [12] *A Real-Time Face Tracker*. IEEE 1996. Yang et al.
- [13] *Improved Tracking of Multiple Humans with Trajectory Prediction and Occlusion Modeling*. IEEE 1998. Rosales et al.

[14]-[15] relate to the detection of skin-color in an image and segmenting the image based on that detection.

[14] *U.S. Patent Application Publication 2003/0179911*. Ho et al. Publication
Date: September 2003.

[15] *U.S. Patent Application Publication 2002/0159630*. Buzuloiu et al.
Publication Date: October 2002

[16]-[18] relate to the detection of faces in an image based on geometric properties of an image. These methods detect a shape similar to the Applicant's "protrusion shape".

[16] *Locating Human Faces in Newspaper Photographs*. IEEE 1989. Govindaraju
et al.

[17] *Finding Face Features*. Proceedings of the Second European Conference on
Computer Vision 1992, Craw et al.

[18] *U.S. Patent 5,852,669*. Eleftheriadis et al. Publication Date: December 1998.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Siangchin whose telephone number is (703)305-7569. The examiner can normally be reached on 9:00am - 5:30pm, Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amelia Au can be reached on (703)308-6604. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2623


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kevin Siangchin



Examiner
Art Unit 2623

ks - 08/14/2004



AMELIA M. AU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600